

HSM V-Press 860 P

HSM V-Press 860 S



HSM V-Press 860 P and 860 S Special solutions for particular materials

The vertical baling press HSM V-Press 860 P ist especially designed for the compression of PET/UBC bottles. The model HSM V-Press 860 S is the perfect machine for the volume reduction of stiff plastics (housing of monitors and TV sets) and expanding plastic foils (other materials upon request).

- Double quantity of retaining claws optimize the compression of the pressing material and reduce the number of loading actions
- Comfortable, easy-to-use membrane keypad with text display which show the current status of the machine
- Reinforced press chamber
- Robust mechanical bale ejector belt
- Configurations:
860 P – PET/UBC door
860 S – lateral attached door



Wire strapping



PET/UBC door



Reinforced door lock



Bale ejector belt



Stiff plastics bales



PET/UBC bale

	HSM V-Press 860 P	HSM V-Press 860 S
Pressing power in kN	418	418
Motor in kW	7.5	7.5
Voltage / Frequency	3 x 400 V / 50 Hz	3 x 400 V / 50 Hz
Loading aperture W x H in mm	1195 x 650	1195 x 650
Loading height in mm	1100	1100
Bale weight in kg	up to 230 kg	depending on material
Maximum bale size L x W x H in mm	1200 x 780 x max. 1200	1200 x 780 x max. 1200
Hourly output in bales	1 - 2	1 - 2
Cycle time in idle operation (theor.) in sec.	46	46
Volume throughput in idle operation (theor.) in m ³ /h	57	57
Press chamber size W x D x H in mm	1195 x 780 x 1640	1195 x 780 x 1640
Dimensions of machine W x D x H in mm	1746 x 1266 x 2986	1746 x 1076 x 2986
Machine weight in kg	2210	2240
Transport height in mm	2140	2140
Strapping	4-fold with wire	4-fold with wire

Technical and design modifications reserved. All technical data and dimensions are approximate values.

HSM GmbH + Co. KG
Bahnhofstrasse 115
88682 Salem / Germany

Tel. +49 (0) 75 53 / 822-0
Fax +49 (0) 75 53 / 822-160

info@hsm-online.de
www.hsm-online.de
www.v-press.com

HSM®